

CONFIDENCE  
STARTS  
HERE



## Broad spectrum fungal protection and plant health benefits combined

- Early curative and preventive plant protection
- Translaminar and systemic activity maximizes distribution within treated plants
- Lasting protection, even under the wettest conditions
- Extends the plant health benefits of Intrinsic brand fungicides throughout the plant production cycle

For more information on Lexicon<sup>®</sup> Intrinsic<sup>®</sup> Brand Fungicide, visit [turf-solutions.basf.com.au](https://turf-solutions.basf.com.au) or contact your local BASF representative on **1800 558 399**

**BASF**  
We create chemistry

Lexicon® Intrinsic® Brand Fungicide is a highly effective fungicide providing fast, long-lasting control of key diseases during the production cycle, resulting in healthier plants that exhibit the highest quality and consistency. Lexicon delivers research-proven plant health benefits, including healthy, dense root growth and greater tolerance to stressors, keys to the production of healthy, quality plants.

Situation	Pest	Rate	Critical Comments
Nursery Stock (non-food) Seedlings, tubes, plugs, potted colour, trees, shrubs, foliage plants, palms, grasses, fruiting plants (non-bearing), cut flowers and ornamentals.	Rhizoctonia, Sclerotinia, Basidiomycete fungi, Fusarium, Pythium, and Ectotrophic root infecting fungi  ( <i>Rhizoctonia</i> spp, <i>Sclerotinia</i> spp, <i>Basidiomycetes</i> spp, <i>Fusarium</i> spp, <i>Pythium</i> spp. and <i>Ophiosphaerella</i> spp. and <i>Gaeumannomyces</i> spp.)	80-100 mL /100 L	Apply as a preventative treatment. Begin application when conditions are favourable for fungal infection, prior to disease symptoms developing. Repeat application 14-28 days later.  Apply as a soil drench or foliar spray via overhead track sprayer, boom sprayer, backpack sprayer, hand wand sprayer or equivalent.  Apply Lexicon in sufficient spray volume to provide complete soil coverage without runoff. Thorough soil coverage is required to maximize the effectiveness of Lexicon. Use a maximum spray volume of 1500 L/ha.  DO NOT apply more than 2 applications per crop. Alternate to another registered or permitted non-group 11 or 7 fungicide with a different mode of action.  DO NOT apply less than 14 days after the initial treatment.  Not compatible with integrated pest management (IPM) programs utilising beneficial arthropods. Minimise spray drift to reduce harmful effects on beneficial arthropods in non-crop areas.

Refer to the product permit for full directions for use table.

## Packaging

Available in 500ml bottles

For more information on Lexicon® Intrinsic® Brand Fungicide, visit [turf-solutions.basf.com.au](http://turf-solutions.basf.com.au) or contact your local BASF representative on **1800 558 399**



### ALWAYS READ AND FOLLOW LABEL DIRECTIONS BEFORE USING ANY PRODUCT IN THIS FACT SHEET.

This fact sheet is intended as general advice. Disclaimer: The information submitted in this publication is based on current BASF knowledge and experience. In view of the many factors that may affect its application, this data does not relieve the user from carrying out their own tests. The data does not imply assurance of certain properties or of suitability for a specific purpose. It is the responsibility of the user to ensure that any proprietary rights and existing laws and legislation are observed.